

## PRESSURE MODULE SPECIFICATIONS

### Gauge Modules

Model	Range	Accuracy	Media
A90-5G	5 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-10G	10 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-30G	30 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-100G	100 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-300G	300 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-500G	500 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-1000G	1,000 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-2500G	2,500 PSIG	±0.025% Rdg +0.01% FS	316SS Compatible
A90-5KG	5,000 PSIG	±0.1% FS	316SS Compatible
A90-10KG	10,000 PSIG	±0.1% FS	316SS Compatible

### Dual Sensor Module

A90-10G/2500G	10/2500 PSIG	±0.025% Rdg +0.01%FS	316SS Compatible
---------------	--------------	----------------------	------------------

### Differential Modules

Model	Range	Accuracy	Media
A90-10WD	±10 "H <sub>2</sub> O Diff.	±0.025 "H <sub>2</sub> O	Clean Dry Gases
A90-5D	5 PSID	±0.025% Rdg +0.01% FS	316SS High/Dry Gas Low
A90-15D	15 PSID	±0.025% Rdg +0.01% FS	316SS High/Dry Gas Low
A90-30D	30 PSID	±0.025% Rdg +0.01% FS	316SS High/Dry Gas Low

### Absolute Modules

A90-15A	15 PSIA	± 0.05% FS	316SS Compatible
A90-30A	30 PSIA	± 0.05% FS	316SS Compatible

### Vacuum Modules

A90-15V	VAC to 0 PSIG	± 0.05% FS	316SS Compatible
A90-15C	VAC to 15 PSIG	± 0.05% FS	316SS Compatible

## ELECTRICAL MODULE SPECIFICATIONS

Model	Range	Accuracy
A40E	mA/V	±0.015% Rdg +0.002 mA or 0.002V

## TEMPERATURE MODULE SPECIFICATIONS

Model	Range	Accuracy
A60T	T/C	±0.015% Rdg +0.006 mV
A70T	RTD	±0.01% Rdg +0.075 ohms